SAFETY DATA SHEET



1. Identification

1. Identification	
Product identifier	LPS® All Purpose Anti-Seize
Other means of identification	
Part Number	C04108, C04110, C04105
Recommended use	An all-purpose, anti-seize lubricant designed to prevent seizure and galling and resist settling and hardening of welding.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	r/Distributor information
Manufacturer	
Company name	ITW Pro Brands
Address	4647 Hugh Howell Rd.
	Tucker, GA 30084
Country	(U.S.A.)
	Tel: +1 770-243-8800
In Case of Emergency	1-800-424-9300
	1-703-527-3887
Website	www.lpslabs.com
E-mail	lpssds@itwprobrands.com
Supplier	ITW Permatex Canada 1-35 Brownridge Road Halton Hills, ON, L7G 0C6 Canada 1-800-241-8334
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Other hazards	None known.
Supplemental information	None known.
3. Composition/informatio	on on ingredients
Mixtures	

Chemical name Common name and synonyms		CAS number	%
Zinc oxide		1314-13-2	10 - 15
Calcium Carbonate		1317-65-3	5 - 10
Graphite		7782-42-5	5 - 10
Molybdenum (IV) sulfide		1317-33-5	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Vash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	inse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods General fire hazards	Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7 Hendling and starses	

7. Handling and storage

Precautions for safe handlingObserve good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
,	TWA	2 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupatio	nal Health & Safety Code, Scl	hedule 1, Table 2)	
Canada, Alberta OELs (Occupatio	nal Health & Safety Code, Scl	hedule 1. Table 2)	
Canada. Alberta OELs (Occupatio Components	Туре	Value	Form
· · ·			Form
Components Calcium Carbonate (CAS	Туре	Value	Form Respirable.
Components Calcium Carbonate (CAS 1317-65-3)	Type TWA	Value 10 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
·	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable.
Zinc Oxide (CAS	STEL	10 mg/m3	Respirable.
1314-13-2)	TWA	2 mg/m3	Respirable.
Canada. Manitoba OELs (R	eg. 217/2006, The Workplace Safety And	d Health Act)	
Components	Туре	Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
1014 10 2)	TWA	2 mg/m3	Respirable fraction.
	ntrol of Exposure to Biological or Chem	- ·	_
Components	Туре	Value	Form
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Respirable fraction.
1011102)	TWA	2 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Mi	nistry of Labor - Regulation Respecting	the Quality of the Work E	nvironment)
Components	Туре	Value	Form
Calcium Carbonate (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable dust.
Zinc Oxide (CAS 1314-13-2)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		10 mg/m3	Total dust.
logical limit values	No biological exposure limits noted for t	he ingredient(s).	
-			
propriate engineering htrols	Good general ventilation (typically 10 ai should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish	licable, use process enclosuna airborne levels below reco	ires, local exhaust ventilation mmended exposure limits. I
propriate engineering htrols ividual protection measures	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish s, such as personal protective equipment	licable, use process enclosu n airborne levels below reco red, maintain airborne levels nt	ires, local exhaust ventilation mmended exposure limits. I
propriate engineering htrols	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish	licable, use process enclosu n airborne levels below reco red, maintain airborne levels nt	ires, local exhaust ventilatio mmended exposure limits. I
propriate engineering htrols ividual protection measures	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish s, such as personal protective equipment	licable, use process enclosu n airborne levels below reco led, maintain airborne levels nt or goggles).	ires, local exhaust ventilation mmended exposure limits. I
oropriate engineering itrols ividual protection measures Eye/face protection Skin protection Hand protection	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish s, such as personal protective equipmen Wear safety glasses with side shields (or Wear appropriate chemical resistant glo	licable, use process enclosu n airborne levels below reco led, maintain airborne levels nt or goggles).	ires, local exhaust ventilation mmended exposure limits. I
oropriate engineering itrols ividual protection measures Eye/face protection Skin protection Hand protection Other	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish s, such as personal protective equipmen Wear safety glasses with side shields (of Wear appropriate chemical resistant glo Wear suitable protective clothing.	licable, use process enclosu n airborne levels below reco led, maintain airborne levels nt or goggles).	ires, local exhaust ventilatio mmended exposure limits. I to an acceptable level.
oropriate engineering itrols ividual protection measures Eye/face protection Skin protection Hand protection	should be matched to conditions. If app or other engineering controls to maintai exposure limits have not been establish s, such as personal protective equipmen Wear safety glasses with side shields (or Wear appropriate chemical resistant glo	licable, use process enclosu n airborne levels below reco led, maintain airborne levels nt or goggles). oves.	ires, local exhaust ventilatio mmended exposure limits. I to an acceptable level.

9. Physical and chemical properties

Solid.
Solid.
Dark grey.
Hydrocarbon-like.
Not available.
Not available.

Melting point/freezing point	500 °F (260 °C)
Initial boiling point and boiling range	> 600.8 °F (> 316 °C)
Flash point	> 429.8 °F (> 221.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.19
VOC	Negligible

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Fluorine. Chlorine.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological ef	Direct contact with eyes may cause temporary irritation. Exposure may cause temporary irritation, redness, or discomfort.	

Acute toxicity

Not expected to be acutely toxic.

Components	Species	Test Results	
Graphite (CAS 7782-42-5)			
<u>Acute</u>			
Oral	_		
LD50	Rat	> 2000 mg/kg	
Zinc oxide (CAS 1314-13-2)			
Acute			
Dermal	Det		
LD50	Rat	> 2000 mg/kg, 24 Hours	
Inhalation LC50	Rat	> 5700 mg/m3, 4 Hours	
Oral LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatio	n		
Canada - Alberta OELs: Irrit			
Calcium Carbonate (CAS	S 1317-65-3)	Irritant	
Respiratory sensitization	Not a respiratory sensiti	zer.	
Skin sensitization	This product is not expe	cted to cause skin sensitization.	
Germ cell mutagenicity	No data available to ind mutagenic or genotoxic.	cate product or any components present at greater than 0.1% are	
Carcinogenicity	This product is not cons	dered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Reproductive toxicity	This product is not expe	cted to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not likely, due to the for	m of the product.	
Chronic effects	None known.		
Further information	This product has no kno	wn adverse effect on human health.	
12. Ecological information	า		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude th possibility that large or frequent spills can have a harmful or damaging effect on the environm		
Components	Species	Test Results	
Zinc oxide (CAS 1314-13-2)			
Aquatic			
Fish	LC50 Fathead	minnow (Pimephales promelas) 2246 mg/l, 96 hours	
Persistence and degradability	No data is available on t	he degradability of this product.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	None known.		
13. Disposal consideratio			
Disposal instructions		spose in sealed containers at licensed waste disposal site.	
Local disposal regulations		vith all applicable regulations.	
Hazardous waste code	disposal company.	be assigned in discussion between the user, the producer and the waste	
Waste from residues / unused products		e with local regulations. Empty containers or liners may retain some naterial and its container must be disposed of in a safe manner (see:	

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IPC Code

the IBC Code

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable. Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date

11-21-2016

Version #	01
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information Regulatory Information: Canada HazReg Data: North America GHS: Classification