

Revision Number: 004.0 Issue date: 10/04/2017

# 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE LB 8060 known as Silver

**Grade Anti-Seize Stick** 

Product type: Lubricant
Restriction of Use: None identified

Company address:

Henkel Canada Corporation 2515 Meadowpine Boulevard Mississauga, Ontario L5N 6C3 **IDH number**: 466864

Item number: 37230 Region: Canada

Contact information: Telephone: (905) 814-6511

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

| EMERGENCY OVERVIEW |         |  |  |
|--------------------|---------|--|--|
|                    | DANGER: | CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. |  |

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN CORROSION     | 1C              |
| SERIOUS EYE DAMAGE | 1               |

#### PICTOGRAM(S)



#### **Precautionary Statements**

**Prevention:** Do not breathe dust or fumes. Wash affected area thoroughly after handling. Wear protective

gloves, clothing, eye and face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off

immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Wash contaminated clothing before reuse.

Storage: Store locked up.

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with Canadian Hazardous Products Regulations (WHMIS 2015) and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)                                 | CAS Number | Weight %* |
|--|------------|-----------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | 20 - 30   |

IDH number: 466864 Product name: LOCTITE LB 8060 known as Silver Grade Anti-Seize Stick

| Petroleum distillates, hydrotreated, light naphthenic | 64742-53-6 | 10 - 20 |
|---|------------|---------|
| Graphite  | 7782-42-5  | 10 - 20 |
| Calcium oxide   | 1305-78-8  | 10 - 20 |
| Aluminum not powder, dust or fume                     | 7429-90-5  | 5 - 10  |
| Distillates (petroleum), straight-run middle          | 64741-44-2 | 1 - 5   |

<sup>\*</sup> Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4. FIRST AID MEASURES

**Inhalation:**Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Remove contaminated clothing and footwear. Immediately flush skin with

plenty of water (using soap, if available). Get medical attention. Wash clothing

before reuse.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

**Ingestion:** Do not induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention.

Symptoms: See Section 11.

# 5. FIRE FIGHTING MEASURES

Extinguishing media: Foam, dry chemical or carbon dioxide.

**Special firefighting procedures:** Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. In case of fire, keep containers cool with water spray.

Unusual fire or explosion hazards: None

**Hazardous combustion products:** Oxides of carbon. Toxic and irritating vapors.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sewer or waterways.

Clean-up methods: Scrape up as much material as possible. Clean residue with soap and water.

Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Keep container closed.

**Storage:** Keep in a cool, well ventilated area.

Shelf Life Statement: Not available.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Product name: LOCTITE LB 8060 known as Silver Grade Anti-Seize Stick Page 2 of 5

| Hazardous Component(s)                                 | ACGIH TLV   | OSHA PEL  | AIHA WEEL | OTHER |
|--|---|---|-----------|-------|
| Distillates (petroleum), hydrotreated heavy naphthenic | 5 mg/m3 TWA<br>Inhalable fraction.<br>5 mg/m3 TWA mist<br>10 mg/m3 STEL<br>mist | 5 mg/m3 TWA mist<br>500 ppm (2,000<br>mg/m3) PEL<br>5 mg/m3 PEL Mist.   | None      | None  |
| Petroleum distillates, hydrotreated, light naphthenic  | 5 mg/m3 TWA Inhalable fraction.   | 5 mg/m3 PEL Mist.<br>500 ppm (2,000<br>mg/m3) PEL   | None      | None  |
| Graphite   | 2 mg/m3 TWA<br>Respirable fraction.   | 5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 PEL<br>Total dust.<br>15 MPPCF TWA  | None      | None  |
| Calcium oxide  | 2 mg/m3 TWA   | 5 mg/m3 PEL   | None      | None  |
| Aluminum not powder, dust or fume                      | None  | 5 mg/m3 PEL (as Al) Respirable fraction. 15 MPPCF TWA Respirable fraction. 50 MPPCF TWA Total dust. 5 mg/m3 TWA Respirable fraction. 15 mg/m3 TWA Total dust. | None      | None  |
| Distillates (petroleum), straight-run middle           | 5 mg/m3 TWA mist<br>10 mg/m3 STEL<br>mist                                       | 5 mg/m3 TWA mist  | None      | None  |

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

**Eye/face protection:** Safety goggles or safety glasses with side shields. Safety showers and eye

wash stations should be available.

**Skin protection:** Use impermeable gloves and protective clothing as necessary to prevent skin

contact. Neoprene, Butyl-rubber, or nitrile-rubber gloves.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:SolidColor:SilverOdor:Mild

Odor threshold:

pH:

Not available.

Not applicable

Vapor pressure:

Not determined

Boiling point/range:

Melting point/ range:

Not available.

Not available.

Specific gravity:

1.10

Vapor density: Not determined

Flash point: Product is a solid. Burn Rate: Approx 12 mm/2 minutes

Flammable/Explosive limits - lower: Not determined Flammable/Explosive limits - upper: Not determined Autoignition temperature: Not determined Flammability: Not applicable **Evaporation rate:** Not determined Solubility in water: Insoluble Partition coefficient (n-octanol/water): Not determined **VOC** content: < 3 % Viscosity: Not available. **Decomposition temperature:** Not available.

# 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing.

**Hazardous decomposition** 

products:

IDH number: 466864

Oxides of carbon. Irritating organic vapours.

Incompatible materials: Oxidizing agents.

Reactivity: Not available.

Conditions to avoid: Keep away from heat, spark and flame.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

### Potential Health Effects/Symptoms

**Inhalation:** May cause respiratory tract irritation.

**Skin contact:** This product is severely irritating to the skin and may cause burns.

**Eye contact:** Causes serious eye damage.

Ingestion: Not expected under normal conditions of use. May cause gastrointestinal tract irritation if

swallowed.

| Hazardous Component(s)                                 | LD50s and LC50s | Immediate and Delayed Health Effects   |
|--|-----------------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic | None            | Irritant                               |
| Petroleum distillates, hydrotreated, light naphthenic  | None            | Irritant                               |
| Graphite   | None            | Lung                                   |
| Calcium oxide  | None            | Irritant, Corrosive, Eyes              |
| Aluminum not powder, dust or fume                      | None            | Central nervous system, Irritant, Lung |
| Distillates (petroleum), straight-run middle           | None            | Irritant                               |

| Hazardous Component(s)                                 | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen<br>(Specifically Regulated) |
|--|----------------|-----------------|---|
| Distillates (petroleum), hydrotreated heavy naphthenic | No             | No              | No  |
| Petroleum distillates, hydrotreated, light naphthenic  | No             | No              | No  |
| Graphite   | No             | No              | No  |
| Calcium oxide  | No             | No              | No  |
| Aluminum not powder, dust or fume                      | No             | No              | No  |
| Distillates (petroleum), straight-run middle           | No             | No              | No  |

# 12. ECOLOGICAL INFORMATION

Ecological information: Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

Canada Transportation of Dangerous Goods - Ground

Proper shipping name: Not regulated Hazard class or division: None

Identification number:

Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name: Calcium oxide

Hazard class or division: 8
Identification number: UN 1910
Packing group: III

Additional information: No dangerous good according to ADR/RID/ADN. Carriage in accordance with

1.1.4.2.1 ADR/RID/ADN.

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

## 15. REGULATORY INFORMATION

**Canada Regulatory Information** 

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

**United States Regulatory Information** 

IDH number: 466864

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 3, 14

Prepared by: Product Safety and Regulatory Affairs

**Issue date:** 10/04/2017

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.